

Symantec NetBackup™ Enterprise Server and Server 7.x OS Software Compatibility List

Created on July 22, 2010

Introduction

This Software Compatibility List (SCL) document contains information for Symantec NetBackup 7.0. It covers NetBackup Server (which includes Enterprise Server and Server), Client, Bare Metal Restore (BMR), NetBackup Access Control (NBAC), NDMP, OpsCenter, SAN Media Server/SAN Client, FT Media Server, Deduplication, File System Capability, Virtual System Capability and MSEO (Media Server Encryption Option). It is divided into bookmarks on the left that can be expanded.

Reference [TechNote #303344 <http://support.veritas.com/docs/303344>](http://support.veritas.com/docs/303344) for links to all other NetBackup compatibility lists.

Release History

NetBackup Version	Description	Release Date
7.0	NetBackup 7.0 FA	January, 2010
7.0	NetBackup 7.0 GA	February, 2010
7.0.1	NetBackup 7.0.1 FA	July, 2010

7.x OS Software Compatibility List Updates

Update Information

Description of Change	Date	NetBackup Version Start of Support
Added NetBackup Administration Console Appendix	2010-03-26	NetBackup 7.0
Updated BMR File System/Volume Manager Support Appendix	2010-05-06	NetBackup 7.0
Removed FT Media Server Appendix and added information to SAN Media Server/SAN Client Appendix including a link to the NetBackup 7.x HCL.	2010-06-01	NetBackup 7.0
Added footnotes to RHEL 4 and 5, SLES 9 and 10 on POWER CPU Architecture noting that they will not be supported in the next major NetBackup release following NetBackup 7.x.	2010-06-01	NetBackup 7.0
Added OpsCenter support on AIX 6.1.	2010-07-23	NetBackup 7.0.1
Updated Red Hat Enterprise Linux 5.x on z/architecture to include support for NBAC.	2010-07-23	NetBackup 7.0.1
Updated Novell SUSE Linux Enterprise Server 10 on z/architecture to include support for NBAC.	2010-07-23	NetBackup 7.0.1
Added Media server support for Red Hat Enterprise Linux 5.x on z/architecture.	2010-07-23	NetBackup 7.0.1
Added Media server support for Novell SUSE Linux Enterprise Server 10 on z/architecture.	2010-07-23	NetBackup 7.0.1
Added Oracle Enterprise Linux 4 and Oracle Enterprise Linux 5 as separate OS platforms.	2010-07-23	NetBackup 7.0.1
Added BMR Client/Boot Server support for the following OS platforms, AIX 6.1 HP-UX 11.31 IA64 Oracle Enterprise Linux 4 and Oracle Enterprise Linux 5 Windows 7 and Windows Vista Windows Server 2008 Core Windows Server 2008 and 2008 R2 Solaris x64 SUSE Linux Enterprise Server 10 and SUSE Linux Enterprise Server 11	2010-07-23	NetBackup 7.0.1
Added BMR Server support on Oracle Enterprise Linux 4 and Oracle Enterprise Linux 5.	2010-07-23	NetBackup 7.0.1
Changed Sun Solaris to Oracle Solaris	2010-07-23	NetBackup 7.0.1

Contents

<u>Operating Systems</u>	<u>NetBackup Client Selections</u>	<u>NetBackup Administration Consoles</u>
<u>Bare Metal Restore (BMR)</u>	<u>SAN Media Server/SAN Client/FT Media Server</u>	<u>OpsCenter Supported Web Browsers</u>
<u>NetBackup Deduplication Supported Operating Systems</u>	<u>NetBackup Media Server Encryption Option (MSEO) 7.x</u>	<u>NetBackup Virtual Systems Compatibility</u>
<u>File System Compatibility</u>	<u>Operating Systems No Longer Supported by NetBackup</u>	

Operating Systems

Most Operating System vendors provide patches and updates to their products. It is a best practice of NetBackup Quality Engineering to test with the latest patch level of the operating system when testing a platform. If a known problem exists on a specific service pack or patched OS level, this information will be identified in the tables below. Otherwise, it is likely that current patch versions of releases will work with NetBackup for the Operating Systems listed below unless otherwise noted. Symantec supports the standard un-altered kernel/Operating System levels as indicated in the table. Should an issue arise on a revised kernel, Operating System, or virtual system environment, Symantec support may request the recreation of the problem with the standard operating environment distribution.

"Backward Compatibility"

NetBackup 6.x client and media server are supported with NetBackup 7.x servers. See [TechNote #325328 <http://support.veritas.com/docs/325328>](http://support.veritas.com/docs/325328) for NetBackup 6.x OS Software Compatibility List.

"NetBackup Vault"

This option runs on the same operating systems and versions and in the same clustering environments as NetBackup except as noted in the NetBackup Release Notes. NetBackup restrictions and limitations related to systems, clusters, and peripherals also apply to Vault.

Exception: Vault does not support standalone drives.

"Data at Rest Key Management Service (KMS)"

This feature is a Master server-based symmetric key management service that manages symmetric cryptography keys for tape drives that conform to the T10 standard (i.e. LTO4). Beginning in NetBackup 6.5.2 KMS is supported on all OS versions where the Master Server and Media Server are supported unless otherwise noted.

"Support Definitions"

Symantec Maintenance/Support only applies to Symantec Licensed Software, assuming you have a current Symantec Maintenance/Support subscription for such software and such Symantec Licensed Software is operating in configurations which Symantec designates as supported. Symantec Maintenance/Support does not cover (and we have no responsibility for) providing technical support, installation services or other services for any other software or hardware products. Also, Symantec is not obligated to provide Maintenance/Support when your Symantec Licensed Software is operating in configurations Symantec does not designate as supportable/supported. Please see the current Symantec Technical Support Policy and your Symantec license agreement for more information, terms and limitations.

"Supported Configurations"

For more information including technical notes regarding currently Symantec -supported configurations (such as operating system/levels, firmware levels, databases, devices, device drivers, applications, etc.), please refer to our website <http://www.symantec.com/enterprise/support/> Please note that while Symantec makes reasonable efforts to keep this information updated, we cannot assure that this information will be in all cases complete or the most current.

"Third Party Products"

Where your problem may be related to product(s) from a third party vendor with whom we have a cooperative or collaborative relationship on such product(s), then Symantec may work with that vendor towards resolving your reported problem. Where Symantec does not have such a support relationship in place with the third party vendor, or where the vendor ceases to support such product(s), then our ability to support Symantec Licensed Software operating with such vendor's product(s) may be limited, affected, or prevented (and such third party product(s) may cease to be part of Symantec -supported configuration(s)). Symantec support may be limited by the hardware or software vendor due to their support lifecycle. Should a vendor announce End of Support for a product, Symantec support may be limited.

Contents

<u>Apple Mac OS X</u>	<u>Asianux Consortium Asianux</u>	<u>Canonical Ubuntu</u>
<u>CentOS</u>	<u>Debian GNU/Linux</u>	<u>FreeBSD</u>
<u>HP HP-UX</u>	<u>HP OpenVMS</u>	<u>IBM AIX</u>
<u>Microsoft Windows 7</u>	<u>Microsoft Windows Server 2003</u>	<u>Microsoft Windows Server 2008</u>
<u>Microsoft Windows Vista</u>	<u>Microsoft Windows XP</u>	<u>Novell NetWare</u>
<u>Novell Open Enterprise Server (Linux)</u>	<u>Novell SUSE Linux Enterprise Server</u>	<u>Oracle Enterprise Linux</u>
<u>Oracle Solaris</u>	<u>Red Flag Linux</u>	<u>Red Hat Enterprise Linux</u>

Apple Mac OS X

NetBackup Client is supported on Mac OS X and Mac OS X Server.

Apple Mac OS X - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Mac OS X 10.5	POWER [1]	32	Y	32				7.0
Mac OS X 10.5	x86-32	32	Y	32				7.0
Mac OS X 10.5	x86-64	64	Y	32				7.0
Mac OS X 10.6	x86-32	32	Y	32				7.0
Mac OS X 10.6	x86-64	64	Y	32				7.0

1. CPU Architecture POWER represents POWER PC

Asianux Consortium Asianux

Asianux 2.0 support is based on the NetBackup Red Hat Enterprise Linux 4.x client and server support.

Asianux 3.0 support is based on the NetBackup Red Hat Enterprise Linux 5.x client and server support.

Asianux Consortium Asianux - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Asianux 2.0 (x86-64)	x86-64	64	Y	64		Y		7.0
Asianux 3.0 (x86-64)	x86-64	64	Y	64		Y		7.0

Asianux Consortium Asianux - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
Asianux 2.0 (x86-64)	x86-64	64	Y	Y	64		Y			Y	7.0
Asianux 3.0 (x86-64)	x86-64	64	Y	Y	64		Y			Y	7.0

Canonical Ubuntu

Canonical Ubuntu - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Ubuntu 8.04 [1]	x86-64	64	Y	64				7.0
Ubuntu 8.04 [.1] [1]	x86-64	64	Y	64				7.0

1. See [TechNote #308593 <http://seer.entsupport.symantec.com/docs/308593.htm >](http://seer.entsupport.symantec.com/docs/308593.htm) for Ubuntu and Debian considerations.

CentOS

The NetBackup Client support for CentOS is dependent on CentOS's binary compatibility with Red Hat. CentOS distributions conform with Red Hat distributions. NetBackup provides client support of CentOS on the same corresponding versions of Red Hat Enterprise Linux beginning with Red Hat 5.2 forward.

CentOS - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
CentOS 5.2 [1]	x86-64	64	Y	64				7.0
CentOS 5.3	x86-64	64	Y	64				7.0

1. See [TechNote #301525 <http://seer.entsupport.symantec.com/docs/301525.htm >](http://seer.entsupport.symantec.com/docs/301525.htm) for CentOS considerations.

Debian GNU/Linux

Debian GNU/Linux - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
GNU/Linux 4.0 (x86-64) [1]	x86-64	64	Y	64				7.0
GNU/Linux 5.0 (x86-64) [1]	x86-64	64	Y	64				7.0

1. See [TechNote #308593 <http://seer.entsupport.symantec.com/docs/308593.htm >](http://seer.entsupport.symantec.com/docs/308593.htm) for Debian and Ubuntu considerations.

FreeBSD

FreeBSD - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
FreeBSD 6.1	x86-32	32	Y	32				7.0
FreeBSD 6.2	x86-32	32	Y	32				7.0
FreeBSD 6.3 [1]	x86-32	32	Y	32				7.0
FreeBSD 6.3 [1]	x86-64	64	Y	32				7.0
FreeBSD 7.0 [1]	x86-32	32	Y	32				7.0
FreeBSD 7.0 [1]	x86-64	64	Y	32				7.0

1. See [TechNote #311595 <http://support.veritas.com/docs/311595>](http://support.veritas.com/docs/311595) for FreeBSD considerations.

HP HP-UX

HP HP-UX - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
HP-UX 11.11	PA-RISC	64	Y	64	Y	Y	Y	7.0
HP-UX 11.23 PA-RISC	PA-RISC	64	Y	64		Y	Y	7.0
HP-UX 11.31 IA64	IA64	64	Y	64	Y [1]	Y	Y	7.0
HP-UX 11.31 PA-RISC	PA-RISC	64	Y	64		Y	Y	7.0

[1](#). BMR Client/Boot Server support began in NetBackup 7.0.1.

HP HP-UX - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
HP-UX 11.11	PA-RISC	64		Y	64		Y			Y	7.0
HP-UX 11.23 PA-RISC	PA-RISC	64		Y	64		Y			Y	7.0
HP-UX 11.31 IA64	IA64	64	Y	Y [1]	64	Y	Y	Y	Y	Y	7.0
HP-UX 11.31 PA-RISC	PA-RISC	64		Y [1]	64		Y			Y	7.0

1. The NetBackup media server support of HP-UX 11.31 requires the HP-UX September 2008 patch QPK1131 (B.11.31.0809.326) patch bundle.

HP OpenVMS

HP OpenVMS - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
OpenVMS 5.5 [1]	VAX	32	Y [2]	32				7.0
OpenVMS 6.1 [1]	Alpha	64	Y [2]	64				7.0
OpenVMS 6.2 [1]	Alpha	64	Y [2]	64				7.0
OpenVMS 6.2 [1]	VAX	32	Y [2]	32				7.0
OpenVMS 7.3 [1]	Alpha	64	Y [2]	64				7.0
OpenVMS 7.3 [1]	VAX	32	Y [2]	32				7.0
OpenVMS 8.2 [1]	Alpha	64	Y [2]	64				7.0
OpenVMS 8.2 [1]	IA64	64	Y [2]	64				7.0
OpenVMS 8.3 [1]	Alpha	64	Y [2]	64				7.0
OpenVMS 8.3 [1]	IA64	64	Y [2]	64				7.0

1. The NetBackup OpenVMS maintenance packs are available as a download at: ftp://ftp.emea.veritas.com/pub/support/Products/NetBackup_OpenVMS/ >

2. Does not support client encryption.

IBM AIX

IBM AIX - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
AIX 5.3 [1]	POWER [2]	64	Y	64	Y	Y	Y	7.0
AIX 6.1	POWER [2]	64	Y	64	Y [3]	Y	Y	7.0

1. Some versions of AIX 5.3ML4 running xIC.aix50.rte, such as 8.0.0.4 and 8.0.0.6 cause installation errors with NetBackup. Please use version 8.0.0.8 or higher.

2. Symantec does not test all IBM POWER-based server models and relies on the IBM AIX 5L Version 5 binary compatibility statement. Reference: <http://www-03.ibm.com/systems/power/software/aix/compatibility/index.html>

3. BMR Client/Boot Server support began in NetBackup 7.0.1.

IBM AIX - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
AIX 5.3 [1]	POWER [2]	64	Y	Y	64	Y	Y			Y	7.0
AIX 6.1	POWER [2]	64	Y	Y [3]	64	Y	Y	Y [4]	Y [5]	Y	7.0

1. Some versions of AIX 5.3ML4 running xIC.aix50.rte, such as 8.0.0.4 and 8.0.0.6 cause installation errors with NetBackup. Please use version 8.0.0.8 or higher.
2. Symantec does not test all IBM POWER-based server models and relies on the IBM AIX 5L Version 5 binary compatibility statement. Reference: <http://www-03.ibm.com/systems/power/software/aix/compatibility/index.html>
3. Jobs that use Granular Recovery Technology are not supported on this Media Server platform.
4. OpsCenter Server support began in NetBackup 7.0.1.
5. OpsCenter Managed Server support began in NetBackup 7.0.1.

Microsoft Windows 7

NetBackup Client is supported on all Windows 7 Editions.

Microsoft Windows 7 - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Windows 7	x86-32	32	Y	32	Y [1]	Y		7.0
Windows 7	x86-64	64	Y	64	Y [1]	Y		7.0

1. BMR Client/Boot Server support began in NetBackup 7.0.1.

Microsoft Windows Server 2003

NetBackup Client and Server are supported on the following Microsoft Windows Server 2003 Editions:

Standard Edition (32-bit and 64-bit)

Enterprise Edition (32-bit, 64-bit and IA64-Client only)

Datacenter Edition (32-bit, 64-bit and IA64-Client only)

Web Edition (32-bit)

NetBackup Client and Server are supported on the following Microsoft Windows Server 2003 R2 Editions:

Standard Edition (32-bit and 64-bit)

Enterprise Edition (32-bit, 64-bit and IA64-Client only)

Datacenter Edition (32-bit, 64-bit and IA64-Client only)

Windows Service Packs (SP) are not explicitly qualified and are supported by default, unless noted otherwise below.

Microsoft Windows Server 2003 - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Windows Server 2003 (IA64) R2	IA64	64	Y	64		Y	Y	7.0
Windows Server 2003 (IA64) SP1	IA64	64	Y	64		Y	Y	7.0
Windows Server 2003 (x64) R2	x86-64	64	Y	64	Y [1] [2]	Y	Y	7.0
Windows Server 2003 (x64) SP1 [3]	x86-64	64	Y	64	Y [1] [2]	Y	Y	7.0
Windows Server 2003 R2	x86-32	32	Y	32	Y [1] [2]	Y	Y	7.0
Windows Server 2003 R2	x86-64	32	Y	32	Y [1] [2]	Y	Y	7.0
Windows Server 2003 SP1	x86-32	32	Y	32	Y [1] [2]	Y	Y	7.0
Windows Server 2003 SP1	x86-64	32	Y	32	Y [1] [2]	Y	Y	7.0

Microsoft Windows Server 2003 - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Windows Server 2003 Storage Server	x86-32	32	Y	32		Y		7.0
Windows Server 2003 Storage Server	x86-64	32	Y	32		Y		7.0
Windows Server 2003 Storage Server R2	x86-32	32	Y	32		Y		7.0
Windows Server 2003 Storage Server R2	x86-64	32	Y	32		Y		7.0

1. BMR Client will support Storage Foundation for Windows 5.x in a future release.
2. BMR support does not include Windows 2003 Datacenter version.
3. Windows Server Enterprise Edition (x64) is supported on SP1 and forward.

Microsoft Windows Server 2003 - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
Windows Server 2003 (x64) R2	x86-64	64	Y	Y	64	Y	Y	Y	Y	Y	7.0
Windows Server 2003 (x64) SP1 [1]	x86-64	64	Y	Y [2]	64	Y [3]	Y	Y	Y	Y	7.0
Windows Server 2003 R2	x86-32	32	Y	Y	32	Y [3]	Y	Y	Y	Y	7.0
Windows Server 2003 R2	x86-64	32	Y	Y	32	Y [3]	Y	Y	Y	Y	7.0
Windows Server 2003 SP1	x86-32	32	Y	Y [2]	32	Y	Y	Y	Y	Y	7.0
Windows Server 2003 SP1	x86-64	32	Y	Y [2]	32	Y	Y	Y	Y	Y	7.0
Windows Server 2003 Storage Server	x86-32	32		Y [2]	32		Y				7.0
Windows Server 2003 Storage Server	x86-64	32		Y [2]	32		Y				7.0
Windows Server 2003 Storage Server R2	x86-32	32		Y	32		Y				7.0
Windows Server 2003 Storage Server R2	x86-64	32		Y	32		Y				7.0

[1.](#) Windows Server Enterprise Edition (x64) is supported on SP1 and forward.

[2.](#) Jobs that use Granular Recovery Technology for Active Directory, Exchange, and SharePoint are not supported on this Media Server platform.

[3.](#) BMR support does not include Windows 2003 Datacenter version.

Microsoft Windows Server 2008

NetBackup Client is supported on Microsoft Windows Server 2008 Editions: Standard, Enterprise, Datacenter, Itanium and Web. The NetBackup supported functionality for each CPU Architecture (32-bit or 64-bit) is listed in the tables below. The NetBackup Client is also supported on Windows Server 2008 Core (32-bit and 64-bit).

NetBackup Master and Media Server are supported on Microsoft Windows Server 2008 Editions: Standard, Enterprise and Datacenter. The NetBackup supported functionality for each CPU Architecture (32-bit or 64-bit) is listed in the tables below.

NetBackup Client is supported on Microsoft Windows Server 2008 R2 Editions: Standard, Enterprise, Datacenter, Itanium and Web. It is not supported on HPC. The NetBackup supported functionality for each CPU Architecture is listed in the tables below. Reference the MSFT web site for information on Editions.

NetBackup Master and Media Server are supported on Microsoft Windows Server 2008 R2 Editions: Standard, Enterprise, and Datacenter. They are not supported on HPC. The NetBackup supported functionality for each CPU Architecture is listed in the tables below. Reference the MSFT web site for information on Editions.

NetBackup Client and Media Server are supported on Microsoft Storage Server 2008 and Microsoft Storage Server 2008 R2.

Windows Service Packs (SP) are not explicitly qualified and are supported by default, unless noted otherwise below.

Microsoft Windows Server 2008 - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Windows Server 2008 Core	x86-32	32	Y	32	Y [1]	Y	Y	7.0
Windows Server 2008 Core	x86-64	64	Y	64	Y [1]	Y	Y	7.0
Windows Server 2008 Core R2	x86-64	64	Y	64	Y [1]	Y	Y	7.0
Windows Server 2008	x86-32	32	Y	32	Y [1]	Y	Y	7.0
Windows Server 2008	x86-64	64	Y	64	Y [1]	Y	Y	7.0
Windows Server 2008 R2	x86-64	64	Y	64	Y [1]	Y	Y	7.0
Windows Server 2008 for Itanium-based Systems	IA64	64	Y	64		Y	Y	7.0
Windows Server 2008 for Itanium-based Systems R2	IA64	64	Y	64		Y	Y	7.0

[1.](#) BMR Client/Boot Server support began in NetBackup 7.0.1.

Microsoft Windows Server 2008 - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
Windows Server 2008	x86-64	64	Y	Y	64	Y	Y	Y	Y	Y	7.0
Windows Server 2008 R2	x86-64	64	Y	Y	64	Y	Y	Y	Y	Y	7.0

Microsoft Windows Vista

NetBackup Client is supported on the following Microsoft Windows Vista Editions:
Enterprise (32-bit and 64-bit)
Ultimate (32-bit and 64-bit)

Microsoft Windows Vista - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Windows Vista	x86-32	32	Y	32	Y [1]	Y		7.0
Windows Vista	x86-64	64	Y	32	Y [1]	Y		7.0

1. BMR Client/Boot Server support began in NetBackup 7.0.1.

Microsoft Windows XP

Microsoft Windows XP - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Windows XP (x64) SP2	x86-64	64	Y [1]	32		Y		7.0
Windows XP SP2	IA64	64	Y	64		Y		7.0
Windows XP SP2	x86-32	32	Y [1] [2]	32	Y	Y		7.0
Windows XP SP2	x86-64	32	Y [2]	32	Y	Y		7.0

1. Reference [TechNote #267977 <http://seer.entsupport.symantec.com/docs/267977.htm >](http://seer.entsupport.symantec.com/docs/267977.htm) for Windows XP SP2 firewall considerations.

2. NetBackup 7.x does not support Open File Backup on this platform. It is supported in NetBackup 6.x.

Novell NetWare

Novell NetWare - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
NetWare 6.5	x86-32	32	Y [1] [2]	32				7.0

- 1. Does not support client encryption.
- 2. Supported via NetBackup 6.x Client

Novell Open Enterprise Server (Linux)

Novell Open Enterprise Server (Linux) - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Open Enterprise Server (Linux) 2 [1]	x86-64	64	Y	64		Y		7.0

1. Supported on SUSE Linux Enterprise Server 10 SP1

Novell Open Enterprise Server (Linux) - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
Open Enterprise Server (Linux) 2 [1]	x86-64	64	Y	Y	64		Y				7.0

1. Supported on SUSE Linux Enterprise Server 10 SP1

Novell SUSE Linux Enterprise Server

Novell SUSE Linux Enterprise Server - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
SUSE Linux Enterprise Server 9 (IA64)	IA64	64	Y	64		Y		7.0
SUSE Linux Enterprise Server 9 (POWER)	POWER [1]	64	Y	64				7.0
SUSE Linux Enterprise Server 9	z/Architecture	64	Y	64				7.0
SUSE Linux Enterprise Server 10 (IA64) [2]	IA64	64	Y	64		Y	Y	7.0
SUSE Linux Enterprise Server 10 (POWER) [2]	POWER [1]	64	Y	64				7.0
SUSE Linux Enterprise Server 10 (x86-64) [2]	x86-64	64	Y	64	Y [3]	Y	Y	7.0
SUSE Linux Enterprise Server 10 [2]	z/Architecture	64	Y	64		Y [4]		7.0
SUSE Linux Enterprise Server 11 (IA64)	IA64	64	Y	64		Y	Y	7.0
SUSE Linux Enterprise Server 11 (x86-64)	x86-64	64	Y	64	Y [3]	Y	Y	7.0
SUSE Linux Enterprise Server 11	z/Architecture	64	Y	64				7.0

[1.](#) Next major release following NetBackup 7.x will not support Client on this CPU Architecture. This status could change if market and/or vendor support positions change.

[2.](#) Supported from SP1 forward.

[3.](#) BMR Client/Boot Server support began in NetBackup 7.0.1.

[4.](#) NBAC support began in NetBackup 7.0.1.

Novell SUSE Linux Enterprise Server - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
SUSE Linux Enterprise Server 10 (x86-64) [1]	x86-64	64	Y	Y	64	Y	Y	Y	Y	Y	7.0
SUSE Linux Enterprise Server 10 [1]	z/Architecture	64		Y	64		Y			Y	7.0.1
SUSE Linux Enterprise Server 11 (x86-64)	x86-64	64	Y	Y	64	Y		Y	Y	Y	7.0

1. Supported from SP1 forward.

Oracle Enterprise Linux

Oracle Enterprise Linux - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Enterprise Linux 4	x86-64	64	Y	64	Y	Y		7.0.1
Enterprise Linux 5	x86-64	64	Y	64	Y	Y		7.0.1

Oracle Enterprise Linux - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
Enterprise Linux 4	x86-64	64	Y	Y	64	Y	Y	Y	Y	Y	7.0.1
Enterprise Linux 5	x86-64	64	Y	Y	64	Y	Y	Y	Y	Y	7.0.1

Oracle Solaris

Oracle Solaris - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Solaris 9.0	SPARC	64	Y	64	Y [1]	Y	Y	7.0
Solaris 10 SPARC	SPARC	64	Y	64	Y [1] [2]	Y	Y	7.0
Solaris 10 x64	x86-64	64	Y	64	Y [1] [2]	Y	Y	7.0

1. See [TechNote #286215 <http://entsupport.symantec.com/docs/286215 >](http://entsupport.symantec.com/docs/286215)- Bare Metal Restore Support for Solaris Containers (Zones).

2. PRIOR to NetBackup 7.0.1 a failure may occur during Share Resource Tree creation and restore of Solaris 10-Update 8, BMR clients, on SPARC (sun4u and sun4v) and x64 processor types. BMR is unable to create SRTs (network and media) using the Solaris 10-Update 8 media that Sun Microsystems recently released. In some cases, the SRT creation works. However, a BMR restore of the Solaris 10-Update 8 client might not complete successfully, and result in an unusable system. If you encounter this type of issue, use a Solaris 10, Update-7 SRT to perform a BMR-based restore of a Solaris 10, Update 8 server.

Oracle Solaris - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
Solaris 10 SPARC	SPARC	64	Y	Y	64	Y	Y	Y	Y	Y	7.0
Solaris 10 x64	x86-64	64	Y	Y [1]	64	Y	Y	Y	Y	Y	7.0

1. Jobs that use Granular Recovery Technology for Active Directory, Exchange, and SharePoint are not supported on this Media Server platform.

Red Flag Linux

Red Flag Linux 5.x support is based on NetBackup Red Hat Enterprise Linux 5.x client and server support.

Red Flag Linux - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Linux 5.0 DC	x86-64	64	Y	64		Y		7.0

Red Flag Linux - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
Linux 5.0 DC	x86-64	64	Y	Y	64		Y				7.0

Red Hat Enterprise Linux

NetBackup Client is supported on the following Red Hat releases:

Red Hat Enterprise Linux 4.0 AS, ES, WS and Red Hat Desktop (64-bit, IA64)

Red Hat Enterprise Linux 5.x Base, Advanced and Desktop (64-bit, IA64) Supported on all vendor GA updates unless stated otherwise in the tables below.

NetBackup Server is supported on the following Red Hat releases:

Red Hat Enterprise Linux 4.0 AS and ES, (64-bit)

Red Hat Enterprise Linux 5.x Advanced and Base (64-bit) Supported on all vendor GA updates unless stated otherwise in the tables below.

Red Hat Enterprise Linux - NetBackup Client

OS	CPU Architecture	OS Bits	NetBackup Client	NetBackup Bits	BMR Client/Boot Server	NBAC	SAN Client	Minimum NetBackup 7.X Level
Enterprise Linux 4.0 (AS) (IA64)	IA64	64	Y	64		Y		7.0
Enterprise Linux 4.0 (AS) (POWER)	POWER [1]	64	Y	64				7.0
Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	Y	64	Y	Y		7.0
Enterprise Linux 4.0 (AS)	z/Architecture	64	Y	64				7.0
Enterprise Linux 4.0 (WS) (x86-64)	x86-64	64	Y	64				7.0
Enterprise Linux 5.0 (Advanced) (x86-64) [2]	x86-64	64	Y	64	Y	Y	Y	7.0
Enterprise Linux 5.0 (base) (IA64) [2]	IA64	64	Y	64		Y	Y	7.0
Enterprise Linux 5.0 (base) (POWER)	POWER [1]	64	Y	64				7.0
Enterprise Linux 5.0 (base) (x86-64) [2]	x86-64	64	Y	64	Y	Y	Y	7.0
Enterprise Linux 5.0 (base) [2]	z/Architecture	64	Y	64		Y [3]		7.0

[1](#). Next major release following NetBackup 7.x will not support Client on this CPU Architecture. This status could change if market and/or vendor support positions change.

2. Red Hat Enterprise Linux 5 Advanced and Base are supported on all vendor GA updates (such as 5.1, 5.2, etc.) unless otherwise stated.

3. NBAC support began in NetBackup 7.0.1.

Red Hat Enterprise Linux - NetBackup Server

OS	CPU Architecture	OS Bits	NetBackup Master Server	NetBackup Media Server	NetBackup Bits	BMR Server	NBAC	OpsCenter Server	OpsCenter Managed Server	NDMP	Minimum NetBackup 7.X Level
Enterprise Linux 4.0 (AS) (x86-64)	x86-64	64	Y	Y	64	Y	Y	Y	Y	Y	7.0
Enterprise Linux 5.0 (Advanced) (x86-64) [1]	x86-64	64	Y	Y	64	Y	Y	Y	Y	Y	7.0
Enterprise Linux 5.0 (base) (x86-64) [1]	x86-64	64	Y	Y	64	Y	Y	Y	Y	Y	7.0
Enterprise Linux 5.0 (base) [1]	z/Architecture	64		Y	64		Y			Y	7.0.1

1. Red Hat Enterprise Linux 5 Advanced and Base are supported on all vendor GA updates (such as 5.1, 5.2, etc.) unless otherwise stated.

NetBackup Client Selections

The information in the Client Selection column of the table below is the client type that should be selected when installing NetBackup as a client on the Operating System/Version and Architecture listed in this table.

OS	CPU Architecture	Client Selection
AIX 5.3	POWER	RS6000,AIX53
AIX 6.1	POWER	RS6000,AIX53
Asianux 2.0	x86-64	Linux, RedHat2.6
Asianux 3.0	x86-64	Linux, RedHat2.6
Canonical Ubuntu 8.04	x86-64	Linux, RedHat2.6
Canonical Ubuntu 8.04.1	x86-64	Linux, RedHat2.6
CentOS 5.2	x86-64	Linux, RedHat2.6
CentOS 5.3	x86-64	Linux, RedHat2.6
Debian 4.0	x86-64	Linux, RedHat2.6
Debian 5.0	x86-64	Linux, RedHat2.6
FreeBSD 6.1	x86-32	INTEL,FreeBSD6.0
FreeBSD 6.2	x86-32	INTEL,FreeBSD6.0
FreeBSD 6.3	x86-32	INTEL,FreeBSD6.0
FreeBSD 6.3	x86-64	INTEL,FreeBSD6.0
FreeBSD 7.0	x86-32	INTEL,FreeBSD6.0
FreeBSD 7.0	x86-64	INTEL,FreeBSD6.0
HP-UX 11.11	PA-RISC	HP9000-700,HP-UX11.11 or HP9000-800,HP-UX11.11
HP-UX 11.23	PA-RISC	HP9000-700,HP-UX11.23 or HP9000-800,HP-UX11.23
HP-UX 11.31	PA-RISC	HP9000-700,HP-UX11.23 or HP9000-800,HP_UX11.23
HP-UX 11.31	IA64	HP-UX-IA64,HP-UX11.31
Mac OS X 10.5, 10.6	POWER, x86-32, x86-64	MACINTOSH,MacOSX 10.5
NetWare 6.5	x86-32	Novell,NetWare
Novell Open Enterprise Server 2	x86-64	Linux,SuSE2.6

OS	CPU Architecture	Client Selection
OpenVMS 6.1, 6.2, 7.3, 8.2, 8.3	Alpha	OpenVMS/OpenVMS_Alpha
OpenVMS 5.5, 6.2, 7.3	VAX	OpenVMS/OpenVMS_VAX
OpenVMS 8.2, 8.3	IA64	OpenVMS/OpenVMS_I64
Oracle Enterprise Linux 4.0	x86-64	Linux,RedHat2.6
Oracle Enterprise Linux 5.0	x86-64	Linux,RedHat2.6
Red Flag Linux 5.0	x86-64	Linux,RedHat2.6
Red Hat Enterprise Linux 4.0	x86-64	Linux,RedHat2.6
Red Hat Enterprise Linux 5.0	x86-64	Linux,RedHat2.6
Red Hat Enterprise Linux 4.0	IA64	Linux-IA64,RedHat2.6
Red Hat Enterprise Linux 5.0	IA64	Linux-IA64,RedHat2.6
Red Hat Enterprise Linux 4.0	POWER	Linux,IBMpSeriesRedHat2.6
Red Hat Enterprise Linux 5.0	POWER	Linux,IBMpSeriesRedHat2.6
Red Hat Enterprise Linux 4.0	z/Architecture	Linux,IBMzSeriesRedHat2.6
Red Hat Enterprise Linux 5.0	z/Architecture	Linux,IBMzSeriesRedHat2.6
Solaris 9	SPARC	Solaris,Solaris9
Solaris 9	x86-64	Solaris,Solaris9
Solaris 10	SPARC	Solaris,Solaris10
Solaris 10	x86-64	Solaris,Solaris_x86_10_64
SUSE Linux Enterprise Server 9	IA64	Linux-IA64,SuSE2.6
SUSE Linux Enterprise Server 9	POWER	Linux,IBMpSeriesSuSE2.6
SUSE Linux Enterprise Server 9	z/Architecture	Linux,IBMzSeriesSuSE2.6
SUSE Linux Enterprise Server 10 SP1	IA64	Linux-IA64,SuSE2.6
SUSE Linux Enterprise Server 10 SP1	POWER	Linux,IBMpSeriesSuSE2.6
SUSE Linux Enterprise Server 10 SP1	z/Architecture	Linux,IBMzSeriesSuSE2.6
SUSE Linux Enterprise Server 10 SP1	x86-64	Linux,SuSE2.6
SUSE Linux Enterprise Server 11	IA64	Linux-IA64,SuSE2.6
SUSE Linux Enterprise Server 11	z/Architecture	Linux,IBMzSeriesSuSE2.6
SUSE Linux Enterprise Server 11	x86-64	Linux,SuSE2.6

OS	CPU Architecture	Client Selection
Windows Server 2003 SP1 or later	x86-32	Windows-x86/Windows2003
Windows Server 2003 R2 2003 all SP's	x86-32	Windows-x86/Windows2003
Windows Server 2003 SP1 or later	x86-64	Windows2003
Windows Server 2003 R2 2003 all SP's	x86-64	Windows2003
Windows Server 2003 SP1 or later	x86-64	Windows-x64/Windows2003
Windows Server 2003 R2 2003 all SP's	x86-64	Windows-x64/Windows2003
Windows Server 2003 SP1 or later R2	IA64	Windows-IA64/Windows2003
Windows Storage Server 2003	x86-32	Windows2003
Windows Storage Server 2003	x86-64	Windows2003
Windows Storage Server 2003 R2 all SP's	x86-32	Windows2003
Windows Storage Server 2003 R2 all SP's	x86-64	Windows2003
Windows Server 2008	x86-32	Windows-x86/Windows2008
Windows Server 2008 and R2	x86-64	Windows-x64/Windows2008
Windows 7	x86-32	Windows-x86/Windows7
Windows 7	x86-64	Windows-x64/Windows7
Windows XP SP2	x86-32	Windows-x86/WindowsXP
Windows XP SP2	x86-64	Windows-x64/WindowsXP
Windows XP SP2	IA64	Windows-IA64/WindowsXP
Windows Vista	x86-32	Windows-x86/WindowsVista
Windows Vista	x86-64	Windows-x64/WindowsVista

NetBackup Administration Consoles

If your NetBackup server has no graphics display capabilities, you must install an alternative administrative interface. It may also be desirable for various other configurations, such as mixed environments that use the Windows and the UNIX platforms.

The NetBackup Administration Console provides a graphical user interface through which the administrator can manage NetBackup. The interface can run on any NetBackup Java-capable system. For information on how to install the consoles, see the NetBackup Installation Guides. And for information on how to use the NetBackup Administration Console, see the NetBackup Administrator's Guide, Volume 1.

The NetBackup Remote Administration Console is an interface-only version of NetBackup for Windows that you can use to administer NetBackup servers from another computer. The computer that runs the NetBackup Remote Administration Console does not require NetBackup software.

The table below is a list of the platforms that support the NetBackup-Java Administration, Backup, Archive and Restore and the NetBackup Remote Administration Console user interface.

OS	CPU Architecture	NetBackup-Java Administration Console	Backup, Archive, and Restore Interface	NetBackup Remote Administration Console
AIX 5.3	POWER	Y	Y	N
AIX 6.1	POWER	Y	Y	N
HP-UX 11-11	PA-RISC	N	Y	N
HP-UX 11-23	PA-RISC	Y	Y	N
HP-UX 11-31	PA-RISC	Y	Y	N
HP-UX 11-31	IA64	Y	Y	N
Red Hat 4.0 AS	IA64	N	Y	N
Red Hat 4.0 AS	x64	Y	Y	N
Red Hat 4.0 AS	POWER	N	Y	N
Red Hat 4.0 AS	z/Architecture	N	Y	N
Red Hat 4.0 Desktop	x64	Y	Y	N
Red Hat 5.0 (base)	IA64	N	Y	N
Red Hat 5.0 (base)	x64	Y	Y	N
Red Hat 5.0 (base)	POWER	N	Y	N
Red Hat 5.0 (base)	z/Architecture	N	Y	N
Red Hat 5.0 Desktop	x64	Y	Y	N

OS	CPU Architecture	NetBackup-Java Administration Console	Backup, Archive, and Restore Interface	NetBackup Remote Administration Console
Solaris 9.0	SPARC	N	Y	N
Solaris 10	SPARC	Y	Y	N
Solaris 10	x64	Y	Y	N
SUSE Linux Enterprise Server 9	IA64	N	Y	N
SUSE Linux Enterprise Server 9	POWER	N	Y	N
SUSE Linux Enterprise Server 9	z/Architecture	N	Y	N
SUSE Linux Enterprise Server 10 (SP1)	IA64	N	Y	N
SUSE Linux Enterprise Server 10 (SP1)	x64	Y	Y	N
SUSE Linux Enterprise Server 10 (SP1)	POWER	N	Y	N
SUSE Linux Enterprise Server 10 (SP1)	z/Architecture	N	Y	N
SUSE Linux Enterprise Server 11	IA64	N	Y	N
SUSE Linux Enterprise Server 11	x64	Y	Y	N
SUSE Linux Enterprise Server 11	POWER	N	Y	N
SUSE Linux Enterprise Server 11	z/Architecture	N	Y	N
Windows Server 2003	x86	Y	Y	Y
Windows Server 2003	x64	Y	Y	Y
Windows Server 2003	IA64	N	Y	Y
Windows Server 2003 R2	x86	Y	Y	Y
Windows Server 2003 R2	x64	Y	Y	Y
Windows Server 2008	x86	N	Y	Y
Windows Server 2008	x64	Y	Y	Y
Windows Server 2008 R2	x64	Y	Y	Y
Windows 7	x86	Y	Y	Y
Windows 7	x64	Y	Y	Y
Windows Vista	x86	N	Y	Y
Windows Vista	x64	N	Y	Y
Windows XP	x86	Y	Y	Y
Windows XP	x64	N	Y	Y

OS	CPU Architecture	NetBackup-Java Administration Console	Backup, Archive, and Restore Interface	NetBackup Remote Administration Console
Windows XP	IA64	N	Y	Y

Bare Metal Restore (BMR)

General Information

* Bare Metal Restore Server (BMR server) is a feature of the Master Server.

BMR Boot Server

* BMR Boot Server is supported on the same Operating Systems as the BMR client. BMR Boot Server bitness is not relevant. I.E., a Windows x86 boot server can boot x86 and x64 servers and visa-versa.

BMR Boot Server Requirements

1. The Boot Server must be of the same OS as the clients that are being recovered. The Master and Boot Server can reside on the same server without issue. You can have multiple Boot Servers of the same OS registered to the Master Server.
2. The Boot Server can only support clients at the same OS release or lower than it is.
As an example, a Solaris 10 Boot Server can do Solaris 10 and Solaris 9 clients. A Solaris 10 Boot Server can support all supported versions of Solaris clients. Windows 2003 Boot Server can do all supported Windows client versions (Windows XP, Windows 2003). It is considered the highest OS release version.
3. Boot Server should updated to the same NBU patch level as the Master Server. The Boot Server needs to be at the same NBU patch level or higher than the clients it supports.
4. Solaris clients can only network boot to a Solaris Boot Server on the same sub-net. All other clients do not have this restriction.
5. You must have a BMR Boot Server to create BMR bootable restore media. However, when using such media, a Boot Server is not required and is not part of the restore process.

Bare Metal Restore File System/Volume Manager Support

Listed in the table below are the available File Systems and Logical Volume Managers compatible with Bare Metal Restore 7.x. Support is conditional according to the published notes corresponding to the individual OS platforms.

The table below contains scenarios that have been thoroughly tested with NetBackup. Due to the number of combinations, it is not possible to test all combinations for compatibility. If a particular scenario is not listed, it may work fine, but has not been explicitly tested by Symantec.

Minimum NetBackup Level

The information in this column is the minimum level of NetBackup that must be installed on the BMR Client to support the associated OS platform.

OS	File Systems	Volume Managers	Striping, Mirroring, RAID	Minimum NetBackup Level	Notes
AIX 5.3 (TL5 and above)	JFS, JFS2 VxFS 4.x - 5.x	Native LVM, VxVM 4.x - 5.x	All	7.0	<ol style="list-style-type: none"> 1. Qualification is done with VxVM 5.0 and VxVM 5.0 MP3. 2. If a Veritas Volume Manager managed disk has the Cross Platform Data Sharing (CDS) enabled and you map that disk to an IDE disk the CDS capability will be lost. For more information reference the VxVM Administrators Guide.
HP-UX 11.11 PA-RISC	HFS, JFS 3.3, VxFS 3.5	Native LVM, VxVM 3.5	All	7.0	<ol style="list-style-type: none"> 1. BMR supports HP-UX versions that contain embedded versions of VxVM and VxFS; therefore, you do not have to install separate versions of VxVM and VsFS in an HP-UX SRT. 2. JFS 3.3 is the version of the Veritas File System (VxFS 3.3.2) shipping on HP-UX since December 1999.
HP-UX 11.31 IA64	HFS, JFS, VxFS	Native LVM, VxVM 5.0	All	7.0.1	<p>Support is limited for LVM and VxVM</p> <ol style="list-style-type: none"> 1. For DDR operation, only volume size changing is supported. Re-mapping to different disks is not supported. 2. In case of VxVM, support is only the self restore of non-root/boot volumes.
Red Hat 4.x (x64) and Red Hat 5.x (x64)	EXT2, EXT3, Reiserfs	Native Partitioning, Native LVM	Striping, Mirroring, MultiDevices all layouts	7.0	<ol style="list-style-type: none"> 1. Support for Linux multidevices is limited, and BMR may not restore some configurations exactly. 2. If the root file system is created on a Linux multidevice, when performing a dissimilar disk restore you must map the root file system and retain the original level (for example, if the original level is RAID-1 the mapped file system must also be RAID-1). If the level is changed, the kernel may panic and the system may not recover. 3. To perform system-only restores on Linux systems, use the dissimilar disk restore feature to map the original system volumes to the target disks (even if you are performing a normal self restore). 4. Linux Native-Multipathing is not handled.

OS	File Systems	Volume Managers	Striping, Mirroring, RAID	Minimum NetBackup Level	Notes
Solaris 9 and Solaris 10 SPARC	UFS, VxFS 4.1 MP2 and higher	SVM, VxVM 4.1 MP2 and higher	All	7.0	<ol style="list-style-type: none"> 1. Qualification is done with VxVM 5.0 and VxVM 5.0 MP3. 2. If a Veritas Volume Manager managed disk has the Cross Platform Data Sharing (CDS) enabled and you map that disk to an IDE disk the CDS capability will be lost. For more information reference the VxVM Administrators Guide. 3. SVM database replicas, disk sets, and volumes are fully recreated and SVM remains active after a BMR restore. 4. For mixed versions of VxVM and VxFS, install the latest version of the Symantec licensing software into the SRT. 5. VxVM/VxFS cannot be patched in SRT.
Solaris 10 x64	UFS, VxFS 5.0 and higher	SanBoot, SVM, Solaris Zones, VxVM 5.0 and higher	All	7.0	<ol style="list-style-type: none"> 1. Qualification is done with VxVM 5.0 and VxVM 5.0 MP3. 2. Support for Solaris native SVM was added in NetBackup 7.0.1. 3. Support for SAN boot was added in NetBackup 7.0.1. 4. Support for Solaris Zones was added in NetBackup 7.0.1 5. SAS based client are supported. Support for SATA disk based client was added in NetBackup 7.0.1.
Windows Server 2003 x86 (32-bit)	FAT32, NTFS	Windows LDM	All	7.0	
Windows Server 2003 x86 (32-bit)	FAT32, NTFS	SFW 4.0 - 4.3	All	7.0	Need to use DOS boot mechanism in order to restore SF involved clients.
Windows Server 2003 x64 (64-bit)	FAT32, NTFS	Windows LDM	All	7.0	No support for SFW on this platform.

Acrynomns

LDM - Logical Disk Manager

LVM - Logical Volume Manager

SFW - Storage Foundation for Windows

SVM - Solaris Volume Manager

VxFS - Vertas File System

VxVM - Veritas Volume Manager

SAN Media Server/SAN Client/FT Media Server

Unless otherwise noted the minimum NetBackup level for SAN Client support is NetBackup 6.5 GA.

SAN style backups via SAN Media Server

SAN media servers are NetBackup media servers that back up their own data. SAN media servers cannot back up data that resides on other clients. SAN media servers are useful for certain situations. For example, a SAN media server is useful if the data volume consumes so much network bandwidth that it affects your network negatively.

- * Enables LAN-free data protection with high performance access to shared resources
- * Can share tape resources with NetBackup Master and Media Servers
- * Can only back itself up, not other clients
- * Software is installed stand alone on each cluster node and linked to the virtual host via an application cluster
- * When you define a backup policy for a SAN media server, add only the SAN media server as the client.
- * The NetBackup Shared Storage Option is able to use NetBackup SAN media servers.

There is no platform restriction regarding SAN Media Servers - any Media Server can be a SAN Media Server. The only difference is in the license authentication mechanism. Application and DB Agents are supported with the SAN Media Server.

SAN style backups via SAN Client

A NetBackup SAN client is a NetBackup client on which the Fibre Transport service is activated. The SAN client is similar to the SAN media server that is used for the Shared Storage Option; it backs up its own data. However, the SAN client is based on the smaller NetBackup client installation package, so it has fewer administration requirements and uses fewer system resources.

- * It connects to a NetBackup media server over Fibre Channel.
- * The NetBackup SAN Client Fibre Transport Service manages the connectivity and the data transfers for the FT pipe on the SAN clients. The SAN client FT service also discovers FT target mode devices on the NetBackup media servers and notifies the FT Service Manager about them.
- * Requires SAN connectivity with a Media Server running Fibre Transport Services (reference additional information below in regards to the FT Media Server)
- * Enterprise Vault (EV) Agent is NOT Supported with SAN Client. All other Application and DB Agents are supported with the SAN Client

FT Media Server

A NetBackup FT media server is a NetBackup media server on which the Fibre Transport services are activated. NetBackup FT media servers accept connections from SAN clients and send data to the disk storage. The host bus adapters (HBAs) that accept connections from the SAN clients use a special NetBackup target mode driver to process FT traffic. The media server FT service controls data flow, processes SCSI commands, and manages data buffers for the server side of the FT pipe. It also manages the target mode driver for the host bus adaptors.

Reference the HCL document Fibre Transport Media Server HBAs section for supported Operating Systems and HBAs. <http://support.veritas.com/docs/336875>

OpsCenter Supported Web Browsers

Web Browser	Versions	Notes
Microsoft Internet Explorer	6.x, 7.x, 8.0	IE 6.x may display a security alert dialog box when you access OpsCenter. Reference "Disabling the security alert dialog box in IE 6.0" instructions in the Symantec OpsCenter Administrator's Guide. IE 7.x and later may display a security certificate warning page when you access OpsCenter. Reference "Disabling security certificate warnings permanently from browsers" instructions in the Symantec OpsCenter Administrator's Guide.
Mozilla Firefox	3.0 and higher versions	Mozilla Firefox may display an Untrusted Connection page when you access OpsCenter. Reference "Disabling the Untrusted Connection page in Mozilla Firefox" instructions in the Symantec OpsCenter Administrator's Guide.

OpsCenter Backup or Archiving Product Support

Listed in the table below are the backup and archiving products/versions supported by OpsCenter.

Backup or Archiving Product	Version	Support Level
Symantec NetBackup	6.0 MP7 and higher versions, 6.5 and higher versions, 7.0	All supported NetBackup platforms by Remote Agent, except NetBackup 7.0. Note: NetBackup 7.0 does not require any Agent. Native agent for Windows 2003 (SP2 and R2), Windows 2008 (SP2 and R2) and Solaris 9 and 10.
Symantec NetBackup PureDisk	6.2.x, 6.5.x, 6.6	PureDisk supported platform (PDOS) by Remote Agent.
Symantec Backup Exec	10.x, 11.x, 12.x	All supported Backup Exec platforms by Remote Agent. Native agent on backup servers on Windows 2003 (SP2 and R2), Windows 2008 (SP2 and R2). NOTE: OpsCenter does not support Symantec Backup Exec running on NetWare.
Symantec Enterprise Vault	7.5, 8.0	All supported Enterprise Vault platforms by Remote Agent. Native agent on Microsoft SQL Server 2005 or 2008 (where Enterprise Vault database resides) on Windows 2003 (SP2 and R2), Windows 2008 (SP2 and R2).
EMC Legato NetWorker	7.3	Native agent on backup servers on Windows 2003 (SP2 and R2), Windows 2008 (SP2 and R2), Solaris 9 and 10. Data collection is possible only with a licensed version of OpsCenter.
IBM Tivoli Storage Manager (TSM)	5.3, 5.4, 5.5	All supported TSM platforms by Remote Agent. Native agent on backup servers on Windows 2003 (SP2 and R2), Windows 2008 (SP2 and R2), Solaris 9 and 10. Data collection is possible only with a licensed version of OpsCenter.

OpsCenter Operating System Requirements

Note that OpsCenter Analytics has the same OS requirements as OpsCenter.

OS	OpsCenter Server 32-bit	OpsCenter Server 64-bit	OpsCenter Agent 32-bit	OpsCenter Agent 64-bit	OpsCenter View Builder 32-bit	OpsCenter View Builder 64-bit
HP-UX 11.31 IA64	No	Yes	No	No	No	No
Red Hat Enterprise Linux 4.x	No	Yes	No	No	No	No
Red Hat Enterprise Linux 5.x	No	Yes	No	No	No	No
Solaris 9 SPARC	No	No	No	Yes	No	No
Solaris 10 SPARC	No	Yes	No	Yes	No	No
Solaris 10 x64	No	Yes	No	No	No	No
SUSE Linux Enterprise Server 10 SP2	No	Yes	No	No	No	No
SUSE Linux Enterprise Server 11	No	Yes	No	No	No	No
Windows 2003 SP2	Yes	Yes	Yes	Yes (1)	Yes	Yes (1)
Windows 2003 R2	Yes	Yes	Yes	Yes (1)	Yes	Yes (1)
Windows 2008	Yes	Yes	Yes	Yes (1)	Yes	Yes (1)
Windows 2008 R2	No	Yes	No	Yes (1)	No	Yes (1)

(1) Signifies 32-bit binaries working on 64-bit architecture.

Note: OpsCenter components are not supported if Windows or Linux OS is installed on IA64 architecture.

NetBackup Deduplication Supported Operating Systems

OS	CPU Architecture	Media Server Dedupe	Client Deduplication	Minimum NetBackup Level
Windows Server 2003	x86-32	No	Yes	7.0
Windows Server 2003	x86-64	Yes	Yes	7.0
Windows Server 2008	x86-32	No	Yes	7.0
Windows Server 2008	x86-64 (64-bit only)	Yes	Yes	7.0
Windows Server 2008 R2	x86-64 (64-bit only)	Yes	Yes	7.0
Red Hat Enterprise Linux 4 Update 5	x86-64	Yes	Yes	7.0
Red Hat Enterprise Linux 5	x86-64	Yes	Yes	7.0
Solaris 10	SPARC	Yes	Yes	7.0
SUSE Enterprise Linux Server 10 SP1	x86-64	Yes	Yes	7.0

Reference [TechNote #338123](#) NetBackup Deduplication: Additional Usage Information: <http://entsupport.symantec.com/docs/338123> for further details on recommended hardware.

NetBackup Media Server Encryption Option (MSEO) 7.x

Operating system requirements are the same for both MSEO key management server and media server installations.

Media Server OS	CPU Architecture	Minimum NetBackup Level	Minimum MSEO Level
Solaris 10	SPARC	7.0	6.0
Solaris 10	x86-64	7.0	6.1.1
Windows 2003	x86-32	7.0	6.0
Windows 2003	x86-64	7.0	6.0
Windows 2003	IA64 (1)	7.0	6.0
Windows 2008	x86-64	7.0	6.1.2
Red Hat 4.4 (Red Hat 4 Update 4)	x86-64	7.0	6.1
Red Hat 4.4 (Red Hat 4 Update 4) and all subsequent updates	x86-64	7.0	6.1.3
Red Hat 5.0 (GA)	x86-64	7.0	6.1.1
Red Hat 5.0 and all subsequent updates	x86-64	7.0	6.1.3
SUSE Linux Enterprise Server 10 SP1	x86-64	7.0	6.1.1
SUSE Linux Enterprise Server 10 SP1 and all subsequent SPs	x86-64	7.0	6.1.4

1. Media servers are not supported on Intel Itanium IA-64 in NetBackup 7. Back level support of NetBackup 6.x media servers will be available until NetBackup 6.x reaches end of support.

NetBackup Virtual Systems Compatibility

This Statement of Support for NetBackup in a Virtual Environment document describes the extent of support for NetBackup within a virtual environment. Ideally, every NetBackup configuration supported in a traditional physical environment would also be supported in any virtual environment without qualification. While that is our mission, it is not always possible.

Therefore, the purpose of this document is to:

- * Clarify differences between NetBackup support in physical vs. virtual environments
- * Describe general guidelines for support in virtual environments
- * Describe impact upon specific NetBackup components: clients, servers, options, etc.
- * Provide references to related information

Virtual Systems Compatibility - See [TechNote #340091](#) Statement of Support for NetBackup in a Virtual Environment: <http://entsupport.symantec.com/docs/340091>

File System Compatibility

NetBackup supports POSIX compliant file systems. Unless otherwise noted in the table below, extended file system attributes are not supported.

OS	File System	ACL	Extended Attributes or Named Data Streams	Notes
AIX	VxFS	Yes	Yes	VxFS 5.0 and forward
AIX	JFS/JFS2	Yes	No	
HP-UX	VxFS	Yes	Yes	11.23 and forward, VxFS 5.0 and forward
HP-UX	Base JFS or UFS	Yes	No	HP-UX 11.11 and forward
Mac OS X	HFS/HFS+	Yes	No	ACL supported from 10.5 forward. Resource forks supported.
Red Hat	Ext 2/3	Yes	Yes	RHEL 4 kernel and later for x64, IA-64.
Red Hat	VxFS	Yes	Yes	VxFS is supported on x64 and POWER with 5.0 RU3. It is not supported on IA64
Solaris	VxFS	Yes	Yes	Solaris 9, 10 SPARC and x64
Solaris	UFS	Yes	Yes	Solaris 9, 10 SPARC
Solaris	UFS	Yes	Yes	Solaris 10 x64
Solaris	ZFS	Yes	Yes	Solaris 10 SPARC and x64
SUSE SLES	Ext 2/3	Yes	Yes	SLES 10 kernel and later for x64
SUSE SLES	Reiser, XFS, NSS	Yes	Yes	SLES 10 kernel and later for x64
SUSE SLES	VxFS	Yes	Yes	VxFS is supported on x64 and POWER with 5.0 RU3. It is not supported on IA64

Operating Systems No Longer Supported by NetBackup

"NetBackup 6.0/6.5 Back Level Support"

NetBackup 6.0/6.5.x clients and media servers are supported with NetBackup 7.x master servers. See [TechNote #325328 <http://support.veritas.com/docs/325328>](http://support.veritas.com/docs/325328) for NetBackup 6.x OS Software Compatibility List. Reference the Additional Operational Notes <http://entsupport.symantec.com/docs/337179> for more detail.

In the NetBackup 7.0 release we have dropped support for 32-bit binaries on Unix and Linux platforms unless otherwise noted in this compatibility list. The table below contains information that pertains to the OS versions that have been dropped in NetBackup 7.0.

OS/Version	CPU Architecture	OS Bits	NetBackup	Last NetBackup Release Supported
Mac OS X 10.3	POWER	32	Client	6.5.x
Mac OS X 10.4	POWER	32	Client	6.5.x
Mac OS X 10.4	x86-64	64	Client	6.5.x
Asianux 3.0	x86-32	32	Client, Master and Media Server	6.5.x
Canonical Ubuntu 8.04	x86-32	32	Client	6.5.X
CentOS 5.2	x86-32	32	Client	6.5.x
CentOS 5.3	x86-32	32	Client	6.5.x
Debian GNU/Linux 4.0	x86-32	32	Client	6.5.x
Debian GNU/Linux 5.0	x86-32	32	Client	6.5.x
FreeBSD 5.3	x86-32	32	Client	6.5.x
FreeBSD 5.4	x86-32	32	Client	6.5.x
FreeBSD 6.0	x86-32	32	Client	6.5.x
HP-UX 11.0	PA-RISC	64	Client, Master and Media Server	6.5.x
HP-UX 11.23	IA64	64	Client, Master and Media Server	6.5.x
Tru64 5.1B+	Alpha	64	Client, Master and Media Server	6.5.x
AIX 5.1	POWER	64	Client, Master and Media Server	6.5.x
AIX 5.2	POWER	64	Client, Master and Media Server	6.5.x
Windows 2000 NAS	x86-32	32	Client and Media Server	6.5.x
Windows 2000 SP4	x86-32	32	Client, Master and Media Server	6.5.x

OS/Version	CPU Architecture	OS Bits	NetBackup	Last NetBackup Release Supported
Windows 2000 SP4	x86-64	64	Client, Master and Media Server	6.5.x
NetWare 5.1	x86-32	32	Client	6.5.x
NetWare 6.0	x86-32	32	Client and Media Server	6.5.x
Open Enterprise Server (Linux) 1 SP2	x86-32	32	Client and Media Server	6.5.x
SUSE Linux Enterprise Server 8	x86-32	32	Client, Master and Media Server	6.5.x
SUSE Linux Enterprise Server 8	x86-64	32	Client, Master and Media Server	6.5.x
SUSE Linux Enterprise Server 8	x86-64	64	Client, Master and Media Server	6.5.x
SUSE Linux Enterprise Server 8	IA64	64	Client, Master and Media Server	6.5.x
SUSE Linux Enterprise Server 8	x86-64	64	Client, Master and Media Server	6.5.x
SUSE Linux Desktop 9.0	x86-32	32	Client	6.5.x
SUSE Linux Desktop 9.2	x86-32	32	Client	6.5.x
SUSE Linux Desktop 9.3	x86-32	32	Client	6.5.x
Red Flag Linux 4.1	x86-32	32	Client, Master and Media Server	6.5.x
Red Hat Enterprise Linux 2.1	x86-32	32	Client, Master and Media Server	6.5.x
Red Hat Enterprise Linux 3.0 AS and WS	x86-32	32	Client, Master and Media Server	6.5.x
Red Hat Enterprise Linux 3.0	x86-64	32	Client, Master and Media Server	6.5.x
Red Hat Enterprise Linux 3.0 AS and WS	x86-64	64	Client, Master and Media Server	6.5.x
Red Hat Enterprise Linux 3.0 AS	IA64	64	Client, Master and Media Server	6.5.x
Red Hat Enterprise Linux 3.0 AS	z/Architecture	32	Client	6.5.x
IRIX 6.5.32 and above	MIPS	64	Client	6.5.x
Solaris 8.0	SPARC	64	Client, Master and Media Server	6.5.x
Solaris 8.0	x86-32	32	Client, Master and Media Server	6.5.x
Solaris 9.0	SPARC	32	Master and Media Server	6.5.x
Solaris 9.0	x86-32	32	Client	6.5.x
Solaris 9.0	x86-64	32	Client	6.5.x
Solaris 10 x86	x86-32	32	Client	6.5.x
Solaris 10 x86	x86-64	32	Client	6.5.x